


Virtually Maintenance Free Lifetime Warranty

HUNDRED SERIES Residential Aluminum Fence



Residential



Model 0243 - 4 Rail - Flat Top w/Alt. Finials

Height: 72" • Length: 6' Sections

Features & Special Options


 Verified AAMA 2603-02 Compliant Powder Coated Aluminum Fence.

Posts: 6063 - T5 • Rails: 6063 - T6 • Pickets: 6063 - T52

- No Screws -
 - **Hidden Picket Fasteners (Patent Pending) Hidden Rail Locks (Patent Pending)**
- Gates All Rails and Pickets are Welded.
- Lifetime Warranty.
- Standard Sections... Rack 12" in 6'.
- Assembled Sections for Quick Installation.
- Eliminate Freight Damage with Company Owned Trucks and Securely Packaged Loads.



Finials



Post Caps







Standard Colors Bronze Colors shown are a close representation of the true color. Please consult actual samples for accurate powder coating colors.

Touch Up Cans and Pens










Gold Accent Powder Coating (Optional)




Rail Profile



Hidden Rail Locks (Patent Pending)



Hidden E-Clip Fasteners (Patent Pending)



Residential Wall Mount



Residential Swivel Mount



Post Mount


SPECIFICATIONS

Hundred Series					
Fence Heights	0131 36", 42", 48", 60"	0132 36", 42", 48", 60"	0141	0142	0220 48"*
Posts	2" x 2" x .060" wall w/6' centers	2" x 2" x .060" wall w/6' centers	2" x 2" x .090" wall w/6' centers	2" x 2" x .090" wall w/6' centers	2" x 2" x .060" wall w/6' centers
Gate Posts	2" x 2" w/Inserts = .310" Wall	2" x 2" w/Inserts = .310" Wall	2" x 2" w/Inserts = .215" Wall	2" x 2" w/Inserts = .215" Wall	2" x 2" w/Inserts = .310" Wall
Post Caps	2" Flat Cap/Standard 2" Ball Cap/Optional	2" Flat Cap/Standard 2" Ball Cap/Optional			
Rails	1" Height x .080" Wall x 11/8" Width x .055" Wall	1" Height x .080" Wall x 11/8" Width x .055" Wall	1" Height x .080" Wall x 11/8" Width x .055" Wall	1" Height x .080" Wall x 1 ¹ / ₈ " Width x .055" Wall	1" Height x .080" Wall x 11/8" Width x .055" Wall
Pickets	5/8" x 5/8" x .045" Wall	5/8" x 5/8" x .045" Wall			
Picket Spacing	3.792" between Pickets	3.792" between Pickets	3.792" between Pickets	3.792" between Pickets	3.792" between Pickets
Finial Option	Triad, Quad	Triad, Quad	Triad, Quad	Triad, Quad	
Fence Heights	0230 36", 42", 48", 55"*, 60"	0233 36", 42", 48", 55"*, 60"	0240 72"	0243	
Posts	2" x 2" x .060" wall w/6' centers	2" x 2" x .060" wall w/6' centers	2" x 2" x .090" wall w/6' centers	2" x 2" x .090" wall w/6' centers	
Gate Posts	2" x 2" w/Inserts = .310" Wall	2" x 2" w/Inserts = .310" Wall	2" x 2" w/Inserts = .215" Wall	2" x 2" w/Inserts = .215" Wall	
Post Caps	2" Flat Cap/Standard 2" Ball Cap/Optional				
Rails	1" Height x .080" Wall x 11/8" Width x .055" Wall	1" Height x .080" Wall x 11/8" Width x .055" Wall	1" Height x .080" Wall x 11/8" Width x .055" Wall	1" Height x .080" Wall x 11/8" Width x .055" Wall	
Pickets	5/8" x 5/8" x .045" Wall				
Picket Spacing	3.792" between Pickets	3.792" between Pickets	3.792" between Pickets	3.792" between Pickets	
Finial Option		Triad, Quad		Triad, Quad	

^{*} Meets BOCA Requirements for Height and Spacing.

Strong Welded Gates





CourtYard® Gates All Rails and Pickets are welded.



Locking Latch



Self-Closing **Post Hinge**



Self-Closing **Wall Hinge**

- Hundred Series Gates use Non-corrosive Hardware.
- Single Gates up to 10' Wide.
 Double Gates up to 20'Wide.



Circle of Commitment

Dynamic • Solutions • Innovation



• Bremen, IN • Randleman, NC • Sarcoxie, MO • Valdosta, GA



Quality Products By:



DISTRIBUTED BY: